

GOVERNMENT OF ANDHRA PRADESH
PANCHAYATI RAJ DEPARTMENT

From
Sri B.Subba Reddy, M.Tech.,
Engineer-in-Chief,
Panchayat Raj
Reliance Mart
Vijayawada.

To
Commissioner,
Tadepalli, Near Reliance Mart
Guntur Dist

Lr.No. Ser.I(2)/Nodal -6026/2015

Dt. 13 -08-2019

Sir,

Sub:- Estt.-PRED – Notification for the post of Engineers Assistant
Gr.II - Amendment – – Reg.

Ref:- Notification No. /2019, dt. .07.2019.

I am to submit that the Government have issued orders establishing Village Secretariats in the state of Andhra Pradesh vide G.O.Ms.No.110, dated. 19.07.2019 of PR& RD (MDL.I) Department and issued notification for recruitment of Engineering Assistant post. Gr.II in PRED along with other posts in other departments.

In this connection I am to inform that in Annexure.II, NOTE of the notification it was mentioned that “ For each correct answer (I) mark will be awarded and each wrong answer will carry negative mark”. Regarding other posts it was specifically mentioned that negative marking for each wrong answer is 0.25

In this connection I am herewith submitting amendment to Note of Annexure.II of Notification mentioning 0.25 negative marking for each wrong answer as was given in respect of other posts, for taking necessary action.

Encl:- Amendment.

Yours faithfully,

[Handwritten Signature]


For Engineer.in.chief,PR,Vijayawada

DC (P.T.)
For immediate action PR

[Handwritten Signature]
...08/19

Amendment To Note Under Annexure.II of Notification No. /2019,
dt. .07.2019

Note Under Annexure.II of Notification No. /2019 dt. 07.2019 In Respect of Engineering Assistant Gr.II post may be Read as " For each correct answer (I) mark will be awarded and each wrong answer will carry 0.25 negative mark" instead of " For each correct answer (I) mark will be awarded and each wrong answer will carry negative mark".



For Engineer.in.chief,PR
Vijayawada.

